Appln. Serial No. 09/943,871 Amendment July 26, 2007 Reply to Office Action Mailed April 26, 2007 RECEIVED CENTRAL FAX CENTER

JUL 2 6 2007

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1 1. (Cancelled)
- 1 2. (Previously Presented) A method of controlling communications in a wireless 2 network comprising:
- receiving, in a wireless network controller, a Temporary Logical Link Identity

 (TLLI) structure in a message sent over an air link by a mobile station to establish a data transfer
 session in the wireless network; and
- selecting one of plural types of protocol stacks in the wireless network controller to use for communications over the air link between the wireless network controller and mobile station based on a value of the TLLI structure,
- wherein selecting one of plural types of protocol stacks comprises selecting from protocol stacks comprising a GERAN protocol stack.
- 3. (Original) The method of claim 2, wherein selecting one of plural types of
 protocol stacks comprises selecting from plural stacks comprising the GERAN protocol stack
 and an EGPRS protocol stack.
 - 4. (Cancelled)

1

3

4

- 1 5. (Previously Presented) A method of controlling communications in a wireless 2 network comprising:
 - receiving, in a wireless network controller, a Temporary Logical Link Identity structure in a message sent by a mobile station to establish a data transfer session in the wireless network, wherein the Temporary Logical Link Identity structure has one of plural values; and
- network, wherein the Temporary Logical Link Identity structure has one of plural values; and
 selecting one of plural types of protocol stacks to use for communications over an
 air link between the wireless network controller and mobile station based on which of the plural
 values is contained in the Temporary Logical Link Identity structure.

Appln. Scrial No. 09/943,871 Amendment July 26, 2007 Reply to Office Action Mailed April 26, 2007

Link Identity structure has a second value.

6. (Original) The method of claim 5, wherein selecting one of plural types of protocol stacks comprises selecting a first protocol stack if the Temporary Logical Link Identity structure has a first value.

7. (Original) The method of claim 6, wherein selecting one of plural types of

protocol stacks further comprises selecting a second protocol stack if the Temporary Logical

- 8. (Currently Amended) The method of claim [[1]] 2, wherein selecting one of plural types of protocol stacks comprises selecting a first protocol stack if the Temporary Logical Link Identity structure has a first value and selecting a second protocol stack if the Temporary Logical Link Identity structure has a second value.
- 1 9. 14. (Cancelled)

2

3

- 1 15. (Currently Amended) The system of claim [[14]] 18, wherein the first wireless protocol comprises a GERAN wireless protocol.
- 1 16. (Original) The system of claim 15, wherein the second wireless protocol comprises an EGPRS wireless protocol.
- 1 17. (Currently Amended) The system of claim [[14]] 18, wherein the first wireless protocol comprises an EGPRS wireless protocol.

Appln. Serial No. 09/943,871 Amendment July 26, 2007 Reply to Office Action Mailed April 26, 2007

5 6

second type of indicator.

ţ	18. (Currently Amended) The system of claim 14, A system comprising.
2	an interface to an air link to communicate with mobile stations; and
3	a controller adapted to perform contention resolution with a first type of mobile
4	station using a first type of indicator, the controller adapted to communicate signaling according
5	to a first wireless protocol with the first type of mobile station, and
6	the controller adapted to perform contention resolution with a second type of
7	mobile station using a second type of indicator, the controller adapted to communicate signaling
8	according to a second wireless protocol with the second type of mobile station,
9	wherein the first type of indicator comprises a Temporary Logical Link Identity
10	(TLLI) structure having a first value, and the second type of indicator comprises a TLLI structure
11	having a second value.
1	19. (Previously Presented) The system of claim 18, wherein the first value indicates
2	one of a local TLLI, a foreign TLLI, and a random TLLI, and the second value indicates one of
3	local GCRI and a random GCRI.
1	20. – 27. (Cancelled)
1	28. (Currently Amended) The system of claim [[14]] 18, wherein the controller
2	performs contention resolution with the first type of mobile station by distinguishing the first
3	type of mobile station from another mobile station using the first type of indicator, and
4	the controller performs contention resolution with the second type of mobile

station by distinguishing the second type of mobile station from another mobile station using the